

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200
(HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 1 of 10

SECTION 1. IDENTIFICATION

Product name : **1146179**
UC Midnight 6 Lb Pak

Material number : **1146179**

Manufacturer or supplier's details

Company name of supplier : Ferro Corporation
Address : 6060 Parkland Blvd. Suite 250
Mayfield Heights OH 44124-4185
Telephone : (216) 875-5600

Emergency telephone number

In-Country Number : (800)424-9300
CHEMTREC Global Number : +(1)-703-527-3887 (Call Collect)

Recommended use of the chemical and restrictions on use

Recommended use : Industrial use
Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.
Response:
P305 + P351 + IF IN EYES: Rinse cautiously with
P338 water for several minutes. Remove
contact lenses, if present and easy
to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical
advice/ attention.

Other hazards

SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 2 of 10

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : metal oxide/hydroxide, organic dye, inorganic salt, synthetic polymer, water

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
C.I. Pigment Blue 15	147-14-8	≥ 10 - < 20
nonylphenol polyglycol ether	9016-45-9	≥ 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.
If inhaled : If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.

SECTION 5. FIREFIGHTING MEASURES

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.
Cool closed containers exposed to fire with water spray.
Hazardous combustion products : No hazardous combustion products are known
Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200
(HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 3 of 10

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
- Environmental precautions : Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.
Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Blue 15	147-14-8	TWA	1 mg/m ³ (Copper)	NIOSH REL

Hazardous components without workplace control parameters

Components	CAS-No.
nonylphenol polyglycol ether	9016-45-9

Engineering measures : No data available

Personal protective equipment

- Eye protection : Safety glasses
Ensure that eyewash stations and safety showers are close to the workstation location.
- Protective measures : Wear suitable protective equipment.
When using do not eat, drink or smoke.
- Hygiene measures : Wash hands before breaks and immediately after handling the product.
Remove contaminated clothing and protective equipment before entering eating areas.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
Colour : dark blue

SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 4 of 10

Odour	:	odourless
Odour Threshold	:	No data available
pH	:	Not applicable
Melting point/range	:	No data available
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Burning rate	:	No data available
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	Not determined
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	No data available
Oxidizing properties	:	Not applicable
Refractive index	:	Not applicable
Volatile organic compounds (VOC) content	:	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200
(HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 5 of 10

Incompatible materials : No data available
Hazardous decomposition products : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

inhalation (dust/mist/fume)

Skin

Eye contact

Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

C.I. Pigment Blue 15:

Acute oral toxicity : LD50 Oral (Rat): > 10,000 mg/kg

nonylphenol polyglycol ether:

Acute oral toxicity : LD50 Oral (Rat): 2,590 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

nonylphenol polyglycol ether:

Species: Rabbit

Assessment: Irritating to skin.

Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

nonylphenol polyglycol ether:

Species: Rabbit

Result: Risk of serious damage to eyes.

Assessment: Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 6 of 10

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT Specific Target Organ Toxicity - single exposure

Not classified based on available information.

STOT Specific Target Organ Toxicity - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

nonylphenol polyglycol ether:

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 1,821 mg/l
Exposure time: 48 h

Persistence and degradability

Components:

C.I. Pigment Blue 15:

Biodegradability : Remarks: No data available

nonylphenol polyglycol ether:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

C.I. Pigment Blue 15:

Bioaccumulation : Remarks: No data available

SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 7 of 10

Partition coefficient: n-octanol/water : Pow: 6.6 (25 °C)

nonylphenol polyglycol ether:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: 3.7 (25 °C)

Mobility in soil

Components:

C.I. Pigment Blue 15:

Distribution among environmental compartments : Remarks: No data available

nonylphenol polyglycol ether:

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Components:

nonylphenol polyglycol ether:

Results of PBT and vPvB assessment : PBT substance vPvB substance

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

SECTION 14. TRANSPORT INFORMATION

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 8 of 10

49 CFR
Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

TSCA list : TSCA_12b - Not relevant

TSCA - 5(a) Significant New Use Rule List of Chemicals

SNUR Statement Proposed Rule

Component	TSCA 5a
nonylphenol polyglycol ether	Not relevant

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM/ Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains components that are reportable under the regulation.

SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 9 of 10

Massachusetts Right To Know

This product contains components that are reportable under the regulation.

Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

New Jersey Right To Know

This product contains components that are reportable under the regulation.

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

EINECS (European Union)	: On the inventory, or in compliance with the inventory
SWISS (Switzerland)	: On the inventory, or in compliance with the inventory
TSCA (United States)	: On TSCA Inventory
DSL/NDSL (Canada)	: All components of this product are on the Canadian DSL.
AICS (Australia)	: On the inventory, or in compliance with the inventory
NZioC (New Zealand)	: On the inventory, or in compliance with the inventory
ENCS (Japan)	: On the inventory, or in compliance with the inventory
ISHL (Japan)	: On the inventory, or in compliance with the inventory
KECI (Korea)	: On the inventory, or in compliance with the inventory
PICCS (Philippines)	: On the inventory, or in compliance with the inventory
IECSC (China)	: On the inventory, or in compliance with the inventory
TCSI (Taiwan)	: On the inventory, or in compliance with the inventory
CICR (Turkey)	: On the inventory, or in compliance with the inventory
INSQ (Mexico)	: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 09/09/2020

SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200
(HCS 2012)

1146179		UC Midnight 6 Lb Pak	
Product specification	RS_FP_606573	Revision Date	09/09/2020
Version	1.0	Print Date	09/03/2021
Material number	1146179	Page	Page 10 of 10

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN