

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: January 2016 -Rev. 5/3/2016- Void After: January 2017

Product: Suction Fittings File No. SP-4077

Issued To: Color Match Pool Fittings Inc.
26204 N 56th Drive
Phoenix, AZ 85083

Identification: Fittings shall be permanently marked as follows in a manner so as to be visible after installation in the following sequence (1) The statement "For Single or Multiple Drain Use Only", "For Single Drain Use", or "For Multiple Drain Use only"; (2) Maximum flow rate; (3) Type of fitting; (4) Life of the fitting in years; (5) Installation position; (6) Manufacturers name or registered trademark; (7) Model designation, and the USPC® certification mark.

Characteristics: The assembly is comprised of safety cover (brass, stainless steel, or plastic) drain ring and security screws. The cover must require the use of a tool to remove it. May or may not be self-draining. For use in swimming pools, spas, whirlpool bath tubs and hot tubs. To be installed in accordance with the manufacturer's instructions and the latest edition of the USPC®.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 2

-Rev. 5/3/2016-

Void After: January 2017

Product: Suction Fittings

File No. SP-4077

Issued To: Color Match Pool Fittings Inc.

Products are in compliance with the following code(s):

Uniform Swimming Pool, Spa and Hot Tub Code (USPC®)

International Swimming Pool & Spa Code (ISPSC®)

Products are in compliance with the following standard(s):

ANSI/APSP-16 2011

NSF/ANSI 50-2009a



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 3

-Rev. 5/3/2016-

Void After: January 2017

Product: Suction Fittings

File No. SP-4077

Issued To: Color Match Pool Fittings Inc.

MODELS:

Note: ANSI/APSP-16 2011 is the successor standard to ASME A112.19.8-2007 and its addenda ASME A112.19.8a-2008 and ASME A112.19.8b-2009.

Anti-Vortex Pool Drain Cover

<u>Model No.</u>	<u>Description</u>
8-AV-XXXX	8" Drain Cover with Mounting Ring and riser ring (Floor: 148 gpm, Wall: 100 gpm)
10-AV-XXXX	10" Drain Cover with Mounting Ring and riser ring (Floor: 184 gpm, Wall: 144 gpm)
8-PTD-XXXX	8" Pebble Top Drain Cover with riser ring (Floor: 144 gpm, Wall: 100 gpm)
10-PTD-XXXX	10" Pebble Top Drain Cover with Mounting Ring and riser ring (Floor: 180 gpm, Wall: 144 gpm)
8-AV-XXXX	8" Drain Cover with Mounting Ring and riser ring (Floor: 112 gpm, Wall: 76 gpm with 2" pipe)
10-AV-XXXX	10" Drain Cover with Mounting Ring and riser ring (Floor: 152 gpm, Wall: 152 gpm with 2" pipe)
8-PTD-XXXX	8" Pebble Top Drain Cover with riser ring (Floor: 112 gpm, Wall: 76 gpm with 2" pipe)
10-PTD-XXXX	10" Pebble Top Drain Cover with Mounting Ring and riser ring (Floor: 156 gpm, Wall: 148 gpm with 2" pipe)
AAM-PTD-XX	AVSC Channel Pebble Top Drain Cover (Single 3" suction: 200 gpm, Dual 3" suction: 208 gpm)
Retro8-XXX	8" Drain cover with universal adaptor plate model UAP8 (Floor: 156 GPM / Wall: 88 GPM with 2" and 2-½" pipe)
HF 8-XXX	8" Drain cover (Floor: 160 GPM / Wall: 68 GPM with 2" pipe, Floor: 195 GPM / Wall: 76 GPM with 2-½" pipe)
Retro10-XXX 10"	Drain cover with universal adaptor plate model UAP10 (Floor: 188 GPM / Wall: 144 GPM with 2" pipe, Floor:204 GPM / Wall: 124 GPM with 2-½" pipe, Floor: 228 GPM / Wall: 200 GPM with 3" pipe)
HF 10-XXX	10" Drain Cover (Floor: 256 GPM / Wall: 120 GPM with 2" pipe, Floor: 280 GPM / Wall:160 GPM with 2-½" pipe, Floor: 272 GPM/ Wall: 200 GPM with 3" pipe)

<u>Model No.</u>	<u>Description</u>
Open Flow-360-XX	20 "pebble top drain cover floor mount 324 gpm with 3" pipe
Super Flow-360-XX	20 "pebble top drain cover floor mount 384 gpm with 3" pipe

XX= color